

## **SP C420**

30 pages per minute colour
A4 dulpex
Small footprint
Print
Additional Paper Trays Available





## The cost efficient office colour package



Aficio SP C420dN

# Maximum performance, minimum costs

What would you say if we told you document production can amount to 3% of your company's total turnover\*? To tackle spiraling costs, efficient document generation is essential. Designed with your office needs in mind, the Aficio™SP C420<sub>DN</sub> keeps Total Cost of Ownership to an absolute minimum. Producing top quality colour prints at high speeds, this advanced colour print solution gives you a true competitive edge.

- \* Source: infoSource & Dataquest.
- Superb productivity: short warm-up and high print speeds.
- · Low cost per print.
- Exceptional paper handling and media support.
- · Superior colour quality.
- · User friendly operation.



#### Saving costs

The Aficio™SP C420<sub>DN</sub> provides the most interesting running costs on the market today for a low Total Cost of Ownership:

- · Affordable in-house document creation, no need for outsourcing.
- · High duty cycle resulting in minimal maintenance.
- Low cost per print due to long yield of consumables.
- · Reduced paper consumption with built-in duplexing.

#### **Setting the standard**

You demand solutions that combine maximum performance, ease of use and cost efficiency. Ricoh provides you with the info you require to gain in-depth understanding of your company. We offer a complete line-up of (colour) print solutions that meet your needs. Due to unique open architecture you can run company specific applications. IT managers benefit from seamless connectivity and reduced network loads. As maintenance is minimal, the cost per print is low. In addition, all costs can be monitored and accounted for using our corresponding software solutions.



#### Raising the pace

- 30-second warm-up time & first prints ready in 10/15 seconds (B/W / colour).
- Continuous output at 30 ppm (B/W & colour).
- · Equally fast simplex-duplex printing.
- · Uninterrupted printing due to large paper capacity.
- Stored Print & PDF Direct Print for time saving printing.





1,200 dpi

#### **Creating high impact documents**

- Excellent output quality at 1,200 dpi.
- Impressive graphs, presentations, manuals and reports with photo quality imagery.
- · Precise colour matching.



#### Making life easier

- •1 Straightforward, intuitive 4 lines LCD operation panel with suspended/resume button.
  - Efficient one-click printing with icon-based interface RPCS™.
  - · E-mail alerts to facilitate monitoring & management.
  - Short paper path reducing the chance of paper jams.





#### Handling any special request

- Optimum support for thick paper: up to 216 g/m<sup>2</sup> from every tray and up to 157 g/m<sup>2</sup> for duplex.
- Three additional paper trays: utilising a diverse selection of paper sizes at the same time.
- Wide media variety possibilities: plain paper, recycled paper, transparencies, laser printer labels, envelopes.
- Acceptance of waterproof paper and coated paper.
   Please use our recommended paper. For more information, please check with your local Ricoh supplier.

#### Securing your information

- Data encryption to secure confidential information.
- Advanced authentication & controlled access capabilities.
- Erasing & overwriting of temporary data on Hard Disk Drive.
- · Watermark protection to prevent unauthorised copying.



Erasing data



#### Going for green

We strive for quality in everything we do. Low power consumption and toxic free materials spare the environment at large. Thanks to the green design we recycle all supplies for the Aficio™SP C420<sub>DN</sub>. As a sustainable company, we appreciate your effort to return your empty supplies. Please visit www.comet-circle.eu for details.



#### **SPECIFICATIONS**

### r□₁ GENERAL

GENERAL			
Technology:		andem method, laser beam scanning, otographic printing and dual component elopment	
Continuous print speed:	Black and white/full colour:	30 prints per minute	
Warm-up time:	Less than 30 seconds		
First print speed:	Black and white:	Less than 10 seconds	
	Full colour:	Less than 15 seconds	
Dimensions (W x D x H):	446 x 589.5 x 487 mm		
Weight:	Less than 50 kg		
Power source:	220 - 240 V, 50/60 Hz		
Power consumption:	Maximum:	Less than 1.2 kW	
	Energy saver mode:	Less than 6 W	
Duty cycle:	150,000 pages per month		

#### CONTROLLER

D147005 0051 (000 1411	
RM7935-835L (800 MH;	<u>z</u> )
: PCL5c:	600 x 600 dpi
PCL6, Adobe® PostScrip	pt <sup>®</sup> 3™, RPCS™:
600 x 600 dpi/1,200	x 600 dpi/1,200 x 1,200 dpi
Standard:	256 MB
Maximum:	512 MB
Hard Disk Drive:	60 GB
PCL5c/PCL6/RPCS™:	Windows <sup>®</sup> 2000/XP
	Vista/Server 2003
Adobe® PostScript® 3 <sup>TT</sup>	": Windows <sup>®</sup> 2000/XP
	Vista/Server 2003
Macintos	sh 8.6 - 9.2.x (OS X Classic)
N	Macintosh X v10.1/10.2/10.3
	or later (native mode), UNIX
PCL5c/PCL6: 35 in	telli fonts, 10 true type fonts
	1 bitmap font
	13 fonts (International Font)
Adobe® PostScript® 3 <sup>TT</sup>	": 136 fonts
	600 x 600 dpi/1,200 Standard: Maximum: Hard Disk Drive: PCL5c/PCL6/RPCS™: Adobe® PostScript® 3™ Macintos N  PCL5c/PCL6: 35 in

#### CONNECTIVITY

Network protocol:	TCP/IP (IpV4.IpV	6), IPX/SPX, AppleTalk
Supported networks:		dows <sup>®</sup> 2000/XP/Vista/Server 2003
	Novell <sup>®</sup> NetWa	re® 3.12/3.2/4.1/4.11/5.0/5.1/6/6.5
		UNIX Sun <sup>®</sup> Solaris 2.6/7/8/9
		HP-UX 10.x/11.x/11i v1/11i
		SCO OpenServer 5.0.6
	RedHat <sup>®</sup> Linux 6.x/7.x/8.x/9.x/Enterprise IBM <sup>®</sup> AIX v4.3 & 5L v5.1/5.2 Macintosh 8.6 - 9.2.x	
	Macintosh X v1	0.1/10.2/10.3 or later (native mode)
		SAP <sup>®</sup> R/3 <sup>®</sup> 3.x or later
Interface:	Standard:	Ethernet 10 base-T/100 baseTX
		USB 2.0, USB Host I/F
	Option:	Bi-directional IEEE 1284
		Wireless LAN (IEEE 802.11a/b/g)
		Bluetooth, Gigabit Ethernet
Network utilities:	Standard:	DeskTopBinder™ Lite
	Sma	rtDeviceMonitor™ for Admin/Client
		Printer utility for Mac
		Font Manager 2000
	Option:	Document management utilities
		& professional software versions
Additional feature:	PDF Direct Print	


#### PAPER HANDLING

Paper input capacity:	Standard:	1 x 550-sheet paper tray
		1 x 100-sheet bypass tray
	Maximum:	2,300 sheets
Paper output capacity:	Standard:	500 sheets face down
Paper size:	A4, A5, A6, B5, B6	
Envelope size:	Com 10, Monarch, C5, C6, DL, Custom	
Paper weight:	Simplex:	52 - 216 g/m <sup>2</sup>
	Duplex:	60 - 157 g/m <sup>2</sup>
Media:	Plain paper, thick p	paper, thin paper, recycled paper,
	waterproof paper, coated paper, laser printer labels,	
	envelopes, colour paper, letterheads, labels,	
	OHP transparencies, glossy paper, bond,	
	pre-printed paper,	cardstock

#### CONSUMABLES

Toners <sup>1</sup> :	Black/C, M, Y:	15,000 sheets (high yield)
		5,000 sheets (regular yield) <sup>2</sup>
The Aficio™SP C42	20 <sub>DN</sub> ships with a starter kit.	

OPTIONS	
Internal options:	128/256 MB SDRAM DIMM
	60 GB Hard Disk Drive
	Bi-directional IEEE 1284
	Wireless LAN (IEEE 802.11a/b/g)
	Bluetooth
	Gigabit Ethernet
	Camera Direct Print Card (PictBridge I/F)
	VM Card
	Data Storage Card
	HDD Encryption
	Data Overwrite Security Unit
External options:	3 x 550-sheet paper trays



<sup>&</sup>lt;sup>2</sup> Only available in certain countries.

For availability of models, optional apparatus and software, please consult your local Ricoh supplier.

This product contains NetBSD operating system.





















Unit 2 Petersfield Business Park **Bedford Road** Petersfield Hampshire **GU323QA** 

Tel: 0844 887 0200 Fax: 0844 887 0199

email: support@kewvisum.com

ISO9001: 2000 certified ISO14001 certified

Ricoh has designed this product to meet EC ENERGY STAR guidelines for energy efficiency.

Ricoh believes in conserving the earth's precious natural resources. This brochure is printed on environmentally friendly paper: 50% recycled fibres, 50% chlorine free bleached pulp.

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2008 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.

www.ricoh-europe.com



