



e-STUDIO263CS

26 pages per minute colour

A4 duplex

Small footprint

Additional Paper Trays Available

Fax

Scan, Copy, Print





Desktop Manager

- A4 colour MFP.
- Network capable and colour scan as standard.
- Fast and efficient performance of up to 30ppm.
- Energy Save Mode for reduced power consumption.

e-STUDIO222cs
e-STUDIO263cs





e-STUDIO222cs
e-STUDIO263cs



General	<p>Print Speed Colour: 22/26 ppm B&W: 24/30 ppm</p> <p>Copy Speed Colour: 24/26 ppm (one original page) 20/20 ppm (multiple original pages) B&W: 24/30 ppm</p> <p>Warm-up Time Approx. 32 seconds from power save mode</p> <p>Paper Size & Weight Cassettes: A6-A4, 64-176 gsm Bypass: A6-A4, 64-220 gsm, banner paper (210 x 1,320 mm, 64-220 gsm), photo size, index card</p> <p>Paper Capacity 1 x 250 sheets (cassette), 100 sheets (Bypass) Maximum: 880 sheets</p> <p>Automatic Duplex Memory A5-A4, 64-176 gsm 256 MB, max. 768 MB 4 GB SD card memory²⁾ max. 16 GB¹⁾²⁾</p> <p>Interface USB 2.0 High Speed, 10/100BaseTX</p> <p>Dimensions & Weight 427 x 509 x 444 mm (W x D x H), ~ 29 kg</p>
Print	<p>Resolution Max. 1,200 x 600 dpi</p> <p>First Print Output Time Colour: Approx. 9/8 seconds B&W: Approx. 8.5/7.5 seconds</p> <p>Page Description Languages Supported Systems PCL6 (XL3.0 & PCL5c) and PostScript 3 compatible Windows 7/Vista/XP/Server 2008/Server 2003 (32/64 bit), Server 2008 R2 (64 bit), Windows 2000 (32 bit), Mac OS X 10.3.9 to 10.6</p> <p>Print Functions Barcode Printing, Duplex Printing, Envelope Printing, etc.</p>
Scan	<p>Resolution Max. 600 x 600 dpi</p> <p>Scan Speed Colour: 3 sec/page (300 dpi) Grey: 2 sec/page (300 dpi)</p> <p>Document Feeder Simplex: 50 sheets, A6-A4, 60-105 gsm Duplex: 50 sheets, A5-A4, 60-90 gsm</p> <p>Scan Modes Colour, Greyscale, B&W</p> <p>File Formats TIFF, PDF, Secure PDF, JPEG, XPS</p> <p>Scan Functions Scan to E-Mail, Scan to File (CIFS, FTP), Scan to USB, Edge Erase, LDAP Support, etc.</p>
Copy	<p>Resolution 600 x 600 dpi</p> <p>First Copy Output Time Colour: Approx. 17 seconds B&W: Approx. 12 seconds</p> <p>Zoom 25-400%</p> <p>Copy Modes Text, Text/Photo, Photo, Photo (Glossy)</p> <p>Colour Settings Contrast, Hue, RGB</p> <p>Copy Functions Duplex Copy, ID Card Copy, Multiple Pages Per Sheet, Mixed Size Copy, Background Removal, Edge Erase, Continuous Scan, Repeat</p>
Fax^{a)}	<p>Communication Super G3, G3, Internet Fax T.37</p> <p>Transmission Speed Approx. 2 seconds per page (JBIG)</p> <p>Compression JBIG, MMR, MR, MH</p> <p>Network-Fax Windows 7/Vista/XP/Server 2008/Server 2003 (32/64 bit), Server 2008 R2 (64 bit), Windows 2000 (32 bit)</p> <p>Fax Functions One Touch Dialing, Speed Dial (100 destinations), ECM, Polling, Group Dialing, Duplex In and Out, etc.</p>
System	<p>Device Management e-BRIDGE Fleet Management System¹⁾</p> <p>System Features e-STUDIO222CS: 30 keys, LCD (84.1 x 33.6 mm), 9 LEDs, Energy Saving Mode e-STUDIO263CS: 74 keys (Incl. QWERTY keypad), LCD (84.1 x 33.6 mm), 9 LEDs, Energy Saving Mode</p>

Productivity and paper specifications are related to a paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned.

OPTIONS

CASSETTE – MY-1037

530-sheet capacity, B5-A4, 64-176 gsm

MEMORY EXPANSION – GC-1310

256 MB Memory expansion

MEMORY EXPANSION – GC-1320

512 MB Memory expansion

SDHC MEMORY CARD – KQ-1003^{a)}

16 GB SDHC card for storage of overlays, fonts and documents



Unit 2 Petersfield Business Park
Bedford Road
Petersfield
Hampshire
GU32 3QA
Tel: 0844 887 0200
Fax: 0844 887 0199
email: support@kewvisum.com

**TOSHIBA TEC UK
IMAGING SYSTEMS LTD**

ABBEY CLOISTERS, ABBEY GREEN,
CHERTSEY, SURREY, KT16 8RB.
TEL 01932 580100 FAX 01932 580101
WWW.TOSHIBA.CO.UK/IMAGING



TOSHIBA
Leading Innovation >>>

6BY0COP1563

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Copyright © 2011 TOSHIBA TEC. DS263CSGBNE1102