



# e-Studio388cp

38 pages per minute

A4 duplex

Small footprint

Colour

Additional Paper Trays Available

WiFi available



## e-STUDIO388CP

### Datasheet

---

- > The e-STUDIO388CP is ideal for workgroups that require an efficient document output of up to 38 pages per minute.
- > This robust A4 colour printer executes large print jobs with a maximum paper capacity of up to 1,451 sheets.
- > Intuitive access to all functions and features via the colour touch panel – all at just the swipe of a finger.
- > Boost your productivity levels while enjoying the quality of each print.



The e-STUDIO388CP is a robust A4 colour printer which leaves nothing to desire, thanks to its efficiency, reliability and adaptability. A resolution of up to 1,200 x 1,200 dpi not only provides a magnificent document output with crystal-clear images, but also ensures a consistent print quality from the first to the last print.

Mobile printing capabilities offer the flexibility that is required by today's modern businesses. Clever options and solutions can tailor this device to your individual requirements, helping you to enhance your productivity and streamline your workflows.

Cutting edge technology ensures your colour print job does not come to a halt, simply select to continue printing in monochrome instead. At Toshiba, we care about respecting the environment. That is why our systems comply with today's most stringent environmental standards and have settings that can help save valuable resources.

# SPECIFICATIONS

## General

<b>Print &amp; Copy Speed</b>	38 ppm
<b>Warm-up Time</b>	~ 15 seconds (from sleep mode)
<b>Paper Size &amp; Weight</b>	Cassette: A6-A4/custom, 60-176 g/m <sup>2</sup> Bypass: 76 x 127 mm - 216 x 356 mm, 60-176 g/m <sup>2</sup>
<b>Paper capacity</b>	Cassette: 1x 250 sheets Max.: 1,451 sheets
<b>Inner Output Tray</b>	125-sheet capacity
<b>Automatic Duplex</b>	A4/custom, 60-105 g/m <sup>2</sup>
<b>Control Panel</b>	10.9 cm (4.3") colour touch panel
<b>Memory</b>	Standard: 1 GB Max.: 1 GB
<b>Interface</b>	10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed USB 2.0, WLAN <sup>1)</sup> (IEEE802.11 ac/a/b/g/n)
<b>Dimension &amp; Weight</b>	442 x 421 x 308 mm (W x D x H), ~ 21.1 kg
<b>Initial Consumables</b>	Starter Toner and Imaging Unit

## Print

<b>Resolution</b>	Max. 1,200 x 1,200 dpi
<b>First Print Output Time</b>	~ 7 seconds
<b>Page Description Language</b>	PCL 5, PCL 6 emulation, PostScript 3 and PDF v1.7 emulation, XPS, PPDS
<b>Supported Systems</b>	Windows 10/8/8.1/7, Windows Server 2016/Server 2012/Server 2008 (32/64 bit), Windows Server 2012 R2/Server 2008 R2 (64 bit), Mac OS X 10.6-10.13, Linux/Unix, Novell NetWare, Citrix, SAP
<b>Mobile Printing</b>	AirPrint, Mopria Print Service, Google Cloud Print
<b>Print Functions</b>	Universal Printer Driver, Print from USB, Multiple pages per sheet, Envelope printing

## System & Security

<b>Device Management</b>	e-BRIDGE Fleet Management System <sup>1)</sup>
<b>System Features</b>	Energy saving modes, Automatic toner saturation/colour calibration
<b>Accounting &amp; Security</b>	Private print, IP address filter, Port filter, Support of SNMPv3, SSL and IPSec protocols, 802.1x authentication <sup>1)</sup> , Operator panel lock <sup>2)</sup> , Disk wipe <sup>2)</sup>

## Options

<b>550-sheet Drawer</b>	550-sheet capacity, A5-A4, 60-176 g/m <sup>2</sup>
<b>650-sheet Duo-drawer</b>	1x cassette, 550-sheet capacity, A5-A4, 60-176 g/m <sup>2</sup> 1x bypass, 100-sheet capacity, A6-A4, 60-176 g/m <sup>2</sup>
<b>Swivel Cabinet</b>	
<b>Adjustable Printer Stand</b>	
<b>User Flash Memory</b>	
<b>Hard Disk Drive</b>	
<b>Wireless LAN Module</b>	
<b>Forms &amp; Barcode Card</b>	
<b>PRESCRIBE Card</b>	
<b>Security Element</b>	

<sup>1)</sup> Optional

<sup>2)</sup> Requires optional HDD



## Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7  
41460 Neuss  
Germany

**Telephone**  
+49 2131-1245-0

**Website**  
[www.toshibatec.eu](http://www.toshibatec.eu)



Unit 2 Petersfield Business Park  
Bedford Road  
Petersfield  
Hampshire  
GU32 3QA  
Tel: 0844 887 0200  
Fax: 0844 887 0199  
email: [support@kewvisum.com](mailto:support@kewvisum.com)

